



**VICTORIA UNIVERSITY**  
MELBOURNE AUSTRALIA

*Measurement properties and feasibility of the  
Loughborough soccer passing test: A systematic  
review*

This is the Accepted version of the following publication

Wen, D, Robertson, Samuel, Hu, G, Song, B and Chen, H (2018)  
Measurement properties and feasibility of the Loughborough soccer passing  
test: A systematic review. *Journal of Sports Sciences*, 36 (15). 1682 - 1694.  
ISSN 0264-0414

The publisher's official version can be found at  
<https://www.tandfonline.com/doi/full/10.1080/02640414.2017.1409611>  
Note that access to this version may require subscription.

Downloaded from VU Research Repository <https://vuir.vu.edu.au/36285/>

1 **Measurement Properties and Feasibility of the Loughborough Soccer**  
2 **Passing Test: A Systematic Review**

3 Daizong Wen<sup>a</sup>, Sam Robertson<sup>b</sup>, Guopeng Hu<sup>c</sup>, Benhao Song<sup>d</sup>, Haichun  
4 Chen<sup>a</sup>

5 *<sup>a</sup>School of Physical Education and Sport Science, Fujian Normal University, Fuzhou,*  
6 *Fujian, China*

7 *<sup>b</sup>Institute of Sport Exercise and Active Living (ISEAL), Victoria University, Footscray*  
8 *Park campus, PO Box 14428, Melbourne, Victoria 8001, Australia*

9 *<sup>c</sup>Department of Physical Education, HuaQiao University, Quanzhou, Fujian, China*

10 *<sup>d</sup>School of Ophthalmology and Optometry, Wenzhou Medical University, Wenzhou,*  
11 *Zhejiang, China*

12 Corresponding author: Haichun Chen, School of Physical Education and Sports  
13 Science, Fujian Normal University, Sport Complex Building, 505, Fuzhou, Fujian,  
14 China, 350108. E-mail: chen\_wen\_dr@163.com

15

# Measurement Properties and Feasibility of the Loughborough Soccer Passing Test: A Systematic Review

## Abstract

Since the Loughborough Soccer Passing Test (LSPT) is a widely applied tool to assess soccer skill, the purpose of this paper was to systematically review the literature and examine the research methodological quality, measurement properties and feasibility of the LSPT. PubMed, Scopus, SPORTDiscus, and Web of Science databases were searched up to June 2017. Twenty five studies fulfilled the eligibility criteria: six for reliability, nine for validity and 16 for responsiveness. The main methodological limitations of the included studies were the small sample size and the lack of information on participants and eligibility criteria. The results showed that test-retest reliability of the LSPT was moderate to excellent (correlation:  $r = 0.43-0.99$ , intraclass correlation coefficient: ICC = 0.42-0.93). Good discriminative validity was found between playing levels and ages. The LSPT was positively correlated with sprint, dribbling, and agility test ( $r = 0.49-0.75$ ); however, a weak correlation ( $r = 0.30-0.47$ ) was established with in-game performance. Test responsiveness (an ability to detect change over time) to some external interventions was observed in studies. Adjusted Cronbach's alpha ( $\alpha = 0.67$ ), smallest worthwhile change (SWC = 0.8-3.8) and minimal detectable change (MDC<sub>50</sub> = 1.9-11.3) were calculated based on the available data. The findings indicate that the LSPT has acceptable test-retest reliability and discriminative validity. However, it may not be a feasible and effective way to interpret the intra-individual change of skill performance in practice due to the large measurement error. Future work should be carried out to focus on more measurement properties of LSPT, and to improve its practical feasibility.

Keywords: Football; LSPT; passing; reliability; validity

## 1    **Introduction**

2    Competitive soccer performance depends on many factors that include physical,  
3    physiological, mental, technical and tactical areas (Stolen, Chamari, Castagna, &  
4    Wisloff, 2005). Among these factors, technical skill is under intensive focus as it is  
5    crucial for successful match play (Carling, Bloomfield, Nelsen, & Reilly, 2008).  
6    Consequently, various tests have been employed to measure the isolated soccer skills,  
7    such as dribbling, passing, and shooting (Haaland and Hoff, 2003; Hoare and Warr,  
8    2000; Reilly and Holmes, 1983; Rosch et al., 2000; Rostgaard, Iaia, Simonsen, &  
9    Bangsbo, 2008; Russell, Benton, & Kingsley, 2010). However, the ecological validity  
10   and sensitivity of the tests have been questioned (A. Ali, 2011). Elite soccer requires  
11   high levels of cognitive, perceptual, and motor skills in a rapidly changing  
12   environment (Russell, Rees, Benton, & Kingsley, 2011), and therefore, a multi-  
13   faceted test evaluating these abilities simultaneously is preferable (A. Ali, 2011).

14        The Loughborough Soccer Passing Test (LSPT), developed by Ali et al. (A.  
15   Ali et al., 2007) is a testing protocol designed for assessing a number of aspects of  
16   soccer techniques including passing, dribbling, control, and decision making. Briefly,  
17   the LSPT requires players to complete 16 passes against coloured targets as quickly as  
18   possible, while making the fewest mistakes. One examiner calls out the order of the  
19   passes while a second examiner records the test scores including movement time  
20   (time taken to complete each trial), penalty time (time added for errors, inaccurate  
21   passes and slow performance), and total performance time (the sum of movement

1 time and penalty time). Previous evidence has demonstrated an acceptable level of  
2 reliability and validity for the LSPT in adult male (A. Ali, et al., 2007; Andrade-  
3 Souza, Bertuzzi, de Araujo, Bishop, & Lima-Silva, 2015; McDermott, Burnett,  
4 Robertson, Chia, & Jenkins, 2015; Naser and Ali, 2016), female (A. Ali, Foscett, &  
5 Gant, 2008) and youth (Benounis et al., 2013; Huijgen, Elferink-Gemser, Ali, &  
6 Visscher, 2013; Le Moal et al., 2014; McDermott, et al., 2015; O'Regan, Ali, &  
7 Wilson, 2007) players. Accordingly, the LSPT has been applied widely in the field as  
8 a useful tool for monitoring the technical progress of individuals, discriminating  
9 players of different competitive levels, and assessing whether a player has the  
10 potential to become elite performers in talent identification conditions (Huijgen, et al.,  
11 2013; McDermott, et al., 2015). The test has also been used in research to assess the  
12 effects of various external interventions such as learning strategies (H. M. Ali et al.,  
13 2016), training methods (Impellizzeri et al., 2008; Zago, Giuriola, & Sforza, 2016),  
14 warm-up (Zois, Bishop, Fairweather, Ball, & Aughey, 2013), fluid ingestion (A. Ali,  
15 Gardiner, Foscett, & Gant, 2011; A. Ali and Williams, 2009; Andrade-Souza, et al.,  
16 2015; Foscett, Ali, & Gant, 2009; Gant, Ali, & Foscett, 2010; Owen, Kehoe, &  
17 Oliver, 2013) and fatigue (Draganidis et al., 2013; Impellizzeri, et al., 2008; Jacobson,  
18 2011; Lyons, Al-Nakeeb, & Nevill, 2006; Rampinini et al., 2008; Sinclair and Artis,  
19 2013; Smith et al., 2016). However, a recent study (Serpiello, Cox, Oppici, Hopkins,  
20 & Varley, 2017), investigating the criterion validity of the LSPT in elite youth players  
21 demonstrated a poor correlation between the LSPT scores and in-game passing

1 performance thereby indicating the impracticality of the test for assessing the in-game  
2 passing performance. Notwithstanding the inherent limitations of their study design,  
3 the result encouraged reconsideration of the measurement properties and feasibility of  
4 the LSPT in order to inform further applications and scientific research.

5         The importance of ensuring that a designed test displays an adequate level of  
6 measurement quality including measurement properties (reliability, validity, and  
7 responsiveness) and feasibility (interpretability) is well-established (Currell and  
8 Jeukendrup, 2008; Robertson, Burnett, & Cochrane, 2014; Robertson, Kremer,  
9 Aisbett, Tran, & Cerin, 2017). Regardless of research or practical purposes, a field  
10 test possessing adequate measurement properties can provide more accurate, stable,  
11 and true information about the capacity of an individual. Moreover, the ability of a  
12 test to achieve feasibility of use and to well interpret difference or change in the  
13 exercise and sport science is also considered essential (Beaton, 2000; Robertson, et  
14 al., 2014). Previous reviews have examined the strengths and limitations of methods  
15 used to measure soccer skill performance (A. Ali, 2011; Russell and Kingsley, 2011);  
16 however to date, there has been no specific review addressing the LSPT. Considering  
17 its prevalence of use in both the field and research, such a review is required. The aim  
18 of this study is to systematically review the measurement properties and feasibility of  
19 the LSPT, as well as to evaluate the methodological quality of the reported literature.

## 1 ***Method***

2 This systematic review was conducted according to the “Preferred Reporting Items  
3 for Systematic Reviews and Meta-Analyses” (PRISMA) guidelines (Moher, Liberati,  
4 Tetzlaff, Altman, & Group, 2009) and a published criteria checklist (Robertson, et al.,  
5 2017) that was developed to aid in assessing the measurement properties and  
6 feasibility of performance tests for exercise and sport sciences. The checklist consists  
7 of nineteen items which are divided into 2 levels. Ten level 1 items (re-test reliability,  
8 content validity, responsiveness, etc.) are considered essential under any  
9 circumstances, whereas nine level 2 items (stability, predictive validity, concurrent  
10 validity, etc.) are considered to be more context-specific in their application.

## 11 ***Search Strategy***

12 Four electronic databases (PubMed, Scopus, SPORTDiscus, and Web of Science)  
13 were searched systematically for studies published before June 2017. The initial  
14 search terms included “Loughborough Soccer Passing Test” OR “LSPT” OR “passing  
15 test” OR “skill test”. The second search terms included “reliab\*” OR “reproducib\*”  
16 OR “valid\*” OR “respons\*” OR “sensit\*” OR “feasib\*” OR “measurement  
17 properties” OR “measure\*” OR “time” OR “scor\*” OR “second”. The third search  
18 terms included “football” OR “soccer”. Finally, theses three search terms were  
19 combined using the operator “AND”. Additional articles were identified by checking  
20 the reference lists of the included articles and related reviews.

## 1 *Eligibility Criteria*

2 Eligibility assessments were performed by two independent reviewers (DZW and  
3 BHS), and any disagreements were resolved by focused discussion or mediated by an  
4 additional investigator (HCC). The inclusion criteria to identify the studies were as  
5 follows: (1) studies with football participants irrespective of age, sex, or level; (2)  
6 studies in which the soccer skill was measured using the LSPT; (3) the LSPT total  
7 performance time (TT) were reported or could be obtained by the sum of movement  
8 time (MT) and penalty time (PT); (4) studies must report at least one aspect of  
9 reliability, validity, or responsiveness relating to the LSPT. Studies were excluded if  
10 they met the following criteria: (1) studies not reporting any valuable information on  
11 the measurement properties of LSPT; (2) studies were not original research, for  
12 instance reviews; (3) studies were not reported in the English language.

## 13 *Data Extraction and Quality Assessment*

14 The extraction and assessment of the included studies consisted of three steps: (1)  
15 Summary of the study characteristics; (2) Assessment of methodological quality; (3)  
16 Evaluation of measurement quality (measurement properties and feasibility). For the  
17 first step, we extracted the study characteristics containing author, year of publication,  
18 sample size, participant details, and the baseline mean MT, PT, and TT of the LSPT  
19 scores.



1           To assess methodological quality, we used a six-item spreadsheet based on the  
2   assessment criteria in a previous review on sport-related skill test (Robertson, et al.,  
3   2014). These six criteria encompassed (1) sample size; (2) participant details (sex,  
4   age, playing level); (3) inclusion/exclusion criteria; (4) a familiarization session (yes /  
5   no); (5) information relating to the stability of testing and participant conditions  
6   between testing sessions; (6) the amount of time between assessments, if applicable.

7           In the final step, we extracted the reliability, validity, responsiveness, and  
8   interpretability results from each article for assessing the measurement properties and  
9   feasibility. Reliability, including test-retest reliability, inter/intra-rater reliability and  
10   internal consistency reliability, was defined as the degree to which measurement is  
11   free from error (Baumgartner and Jackson, 1998). The correlation coefficient ( $r$ ) or  
12   intraclass correlation coefficient (ICC) values of  $< 0.4$ ,  $\geq 0.4$  to  $< 0.8$  and  $\geq 0.8$   
13   were rated as poor, moderate, and excellent, respectively (Helmerhorst, Brage,  
14   Warren, Besson, & Ekelund, 2012; Streiner, Norman, & Cairney, 2014). Validity is  
15   the degree to which a test measures the construct it claims to measure; it consists of  
16   content validity, construct validity (discriminative and convergent) and criterion  
17   validity (concurrent and predictive) (Portney and Watkins, 2009). The responsiveness  
18   reflects the ability of an instrument to detect change over time and is generally  
19   estimated by testing the statistical significance of the mean change scores. However,  
20   two important but often overlooked properties, smallest worthwhile change (SWC)  
21   calculated by 0.2 of the between-participants standard deviation (Hopkins, 2004), and

1 minimal detectable change (MDC) estimated as measurement error with a given level  
2 of confidence (Beaton, 2000), are often considered more practically meaningful for  
3 the evaluation of responsiveness; both useful indicators overcome the limitations of  
4 the “statistically significant difference” (Beaton, 2000; Copay, Subach, Glassman,  
5 Polly, & Schuler, 2007). Therefore, we further calculated the values of SWC and  
6 MDC according to a previous recommendation regarding the interpretation of changes  
7 in an athletic performance test (Hopkins, 2004). Only when a relevant change exceeds  
8 the SWC or MDC (when  $MDC > SWC$ ), the investigator can be confident that it is a  
9 real change most of the time and not just the measurement error (Hopkins, 2004).

10 With respect to feasibility, we primarily focused on the interpretability (Mokkink et  
11 al., 2010) of the SWC or MDC (when  $MDC > SWC$ ) for use in discriminating the  
12 performers of different constructs (such as playing levels), and detecting a change in  
13 performance caused by an external intervention. Besides, we also paid attention to  
14 whether a test is easy to perform and administer. It is only when a test can be  
15 undertaken without excessive costs (e.g. long duration, a lot of examiners  
16 requirements, expensive high-end equipment or complex process) that it can be easily  
17 applied in practical environments such as teams and clubs.

## 18 **Results**

19 The initial database search identified 368 articles and a further eight were found via  
20 reference searching. After excluding the duplicates, 305 articles were retained for the

1 examination of the titles and abstracts. Of these, 41 were selected for full-text review  
 2 and assessed according to the eligibility criteria. Finally, a total of 25 articles were  
 3 included in the systematic review (Figure 1). Of these, 9 studies (A. Ali, et al., 2008;  
 4 A. Ali, et al., 2007; Andrade-Souza, et al., 2015; Benounis, et al., 2013; Huijgen, et  
 5 al., 2013; Le Moal, et al., 2014; McDermott, et al., 2015; Naser and Ali, 2016;  
 6 O'Regan, et al., 2007; Serpiello, et al., 2017) focused on reliability and validity, and  
 7 15 studies (A. Ali, et al., 2011; A. Ali and Williams, 2009; H. M. Ali, et al., 2016;  
 8 Andrade-Souza, et al., 2015; Draganidis, et al., 2013; Foskett, et al., 2009; Gant, et al.,  
 9 2010; Impellizzeri, et al., 2008; Jacobson, 2011; Lyons, et al., 2006; Owen, et al.,  
 10 2013; Rampinini, et al., 2008; Sinclair and Artis, 2013; Smith, et al., 2016; Zago, et  
 11 al., 2016; Zois, et al., 2013) reported the responsiveness to some external  
 12 interventions, plus one study (Andrade-Souza, et al., 2015) that assessed both  
 13 domains. Table 1 summarized the characteristics of the included studies, and the  
 14 baseline LSPT scores from each study group are sorted in an ascending order (relating  
 15 to time) in Figure 2.

### 16 ***Study Methodological Quality***

17 Table 2 shows the methodological quality of the included studies. The majority of the  
 18 studies (84%) provided adequate details of the participants, with 16% missing at least  
 19 one characteristic (such as sex and playing level). Only 24% of the studies reported  
 20 both inclusion and exclusion criteria, while a majority of the remaining studies did not

1 report whether the goalkeepers were excluded. Sample sizes of the included studies  
 2 varied greatly ( $n = 8-319$ ); only 16% utilized a sample size  $> 50$ , whereas 72% had  
 3  $< 30$ . All studies required their participants to attend at least one familiarisation  
 4 session prior to main testing, except one conference abstract (O'Regan, et al., 2007)  
 5 that did not provide this information. A total of 84% of the studies reported the  
 6 stability of conditions adequately, whereas the remaining 16% of the studies did not  
 7 or partially reported. The amount of time between the two assessments was also  
 8 reported in 84% of the studies, whereas it was either not report or not available in the  
 9 reminding 16%.

## 10 ***Reliability***

11 Six studies (A. Ali, et al., 2008; A. Ali, et al., 2007; Andrade-Souza, et al., 2015;  
 12 Benounis, et al., 2013; Le Moal, et al., 2014; McDermott, et al., 2015) examined the  
 13 test-retest reliability of the LSPT scores (MT, PT and TT) without addressing either  
 14 inter-rater reliability or internal consistency reliability (Table 3). The most commonly  
 15 reported statistical approaches were  $r$  coefficient (A. Ali, et al., 2008; A. Ali, et al.,  
 16 2007; Le Moal, et al., 2014), ICC (A. Ali, et al., 2007; Andrade-Souza, et al., 2015;  
 17 Benounis, et al., 2013; McDermott, et al., 2015), coefficient of variation (CV%) (A.  
 18 Ali, et al., 2008; A. Ali, et al., 2007; Le Moal, et al., 2014), and 95% limits of  
 19 agreement (LoA) (A. Ali, et al., 2008; A. Ali, et al., 2007; Le Moal, et al., 2014;  
 20 McDermott, et al., 2015). Overall, for the MT and TT to perform the LSPT, the

1 correlation between the test and retest was moderate to excellent (MT:  $r = 0.50-0.81$ ,  
 2 ICC = 0.63-0.92; TT:  $r = 0.43-0.99$ , ICC = 0.42-0.93). However, the PT for inaccurate  
 3 passing and poor control during testing showed widely varied levels of reliability with  
 4 low to excellent correlation between the tests ( $r = 0.22-0.86$ , ICC = 0.26-0.89). Table  
 5 4 shows the standard error of measurement (SEM) of LSPT in different populations,  
 6 with test data obtained from three comparable included studies (A. Ali, et al., 2008;  
 7 A. Ali, et al., 2007; McDermott, et al., 2015).

8       None of the included 25 studies assessed the internal consistency reliability.  
 9 Thus we extracted and tabulated the baseline MT and PT data from the included  
 10 studies (a total of 32 groups from 22/25 studies), and calculated the Pearson's  
 11 correlation coefficient ( $r = 0.50$ ), as shown in Figure 3. Then, the  $r$  coefficient was  
 12 converted to adjusted Cronbach's alpha ( $\alpha = 0.67$ ) using the Spearman–Brown  
 13 formula (Eisinga, Grotenhuis, & Pelzer, 2013).

#### 14 ***Validity***

15 The content validity, which was defined as how well a specific test measures what it  
 16 intends to measure (Robertson, et al., 2014), can only be deduced from a simple  
 17 description in Ali et al. study (A. Ali, et al., 2007). The authors stated that the LSPT  
 18 was developed by their expert panel (consisting of Ajmol Ali, Clyde Williams, Mark  
 19 Hulse, Anthony Strudwick, Jonathan Reddin, Lee Howarth, John Eldred, Matthew  
 20 Hirst and Steve McGregor) in order to “assess the multi-faceted aspects of soccer

1 skill, including passing, dribbling, control, and decision making within the match-  
 2 play”.

3 The construct validity was assessed in eight studies (A. Ali, et al., 2008; A.  
 4 Ali, et al., 2007; Huijgen, et al., 2013; Le Moal, et al., 2014; McDermott, et al., 2015;  
 5 Naser and Ali, 2016; O'Regan, et al., 2007) (Table 3). 7/8 studies used three different  
 6 statistical analyses (*t*-tests, ANOVA, or multilevel model) to detect the statistical  
 7 significance. The LSPT was demonstrated to exhibit good discriminative validity  
 8 while examining the individual differences between the playing levels (A. Ali, et al.,  
 9 2008; A. Ali, et al., 2007; Le Moal, et al., 2014; Naser and Ali, 2016; O'Regan, et al.,  
 10 2007) and ages (Huijgen, et al., 2013; McDermott, et al., 2015). Only one study  
 11 (Benounis, et al., 2013) investigated the convergent validity for a variety of associated  
 12 measures, and demonstrated that the LSPT TT was positively correlated to the sprint  
 13 tests ( $r = 0.49-0.60$ ), 15 m agility run ( $r = 0.75$ ), 15 m ball dribbling ( $r = 0.71$ ) and the  
 14 Illinois agility test ( $r = 0.72$ ).

15 Four studies assessed the criterion validity of the LSPT. (Table 3) Of these,  
 16 three studies (A. Ali, et al., 2008; A. Ali, et al., 2007; Huijgen, et al., 2013)  
 17 investigated the concurrent validity utilizing the median-split analysis or *t*-tests, and  
 18 displayed a strong association between the LSPT scores and concurrent expected  
 19 participant rankings. However, the remaining study (Serpiello, et al., 2017) examined  
 20 the predictive validity of the LSPT in elite youth players and demonstrated a poor

1 correlation ( $r = 0.30-0.47$ ) of the test scores with passing performance during  
2 subsequent competitive games.

### 3 ***Responsiveness***

4 The ability of the LSPT to detect changes or differences in the individual was  
5 explored in 16 studies utilizing various statistical methods including ANOVA, general  
6 linear model, and  $t$ -tests. (Table 5) Six studies (A. Ali, et al., 2011; A. Ali and  
7 Williams, 2009; Andrade-Souza, et al., 2015; Foskett, et al., 2009; Gant, et al., 2010;  
8 Owen, et al., 2013) investigated the effect of fluid ingestion on LSPT performance  
9 after a 90-min intermittent exercise; except one (Foskett, et al., 2009), all the studies  
10 reported no improvement in LSPT scores when different fluid intake protocols were  
11 used. Seven studies (Draganidis, et al., 2013; Impellizzeri, et al., 2008; Jacobson,  
12 2011; Lyons, et al., 2006; Rampinini, et al., 2008; Sinclair and Artis, 2013; Smith, et  
13 al., 2016) reported the impact of physical, mental or mixed match-related fatigue on  
14 the LSPT performance, all studies, except one (Jacobson, 2011), demonstrated an  
15 impairment in at least one of the three LSPT outcomes (MT, PT, or TT). In the  
16 remaining three studies, different learning (H. M. Ali, et al., 2016), training (Zago, et  
17 al., 2016), and warm-up (Zois, et al., 2013) strategies were considered to be beneficial  
18 effects on the LSPT performance.

19 Owing to the absence of SWC or MDC values in the included studies, we  
20 calculated these two indicators for the LSPT based on the between-athlete standard

1 deviation (SD) and SEM derived from the reliability studies (A. Ali, et al., 2008; A.  
 2 Ali, et al., 2007; Le Moal, et al., 2014; McDermott, et al., 2015) described above  
 3 (Table 6). The MDC values ( $MDC_{50}$  and  $MDC_{95}$ ) were defined at two different levels  
 4 of confidence (50% and 95%). It is only when an individual's difference or change  
 5 score exceeded these levels, that the interpretation of the different test scores can be  
 6 right > 50% or > 95% of the time.

### 7 *Feasibility*

8 As shown in Table 6, MDC values were distinctly greater than SWC, especially the  
 9  $MDC_{95}$ . Accordingly, any change or difference greater than the MDC threshold is  
 10 considered meaningful. Figures. 4 and 5, combined with results obtained from the  
 11 included 24/25 studies that reported discriminative validity or responsiveness, showed  
 12 where the raw and percentage difference or change in the LSPT TT are located in the  
 13 MDC threshold range (minimum to maximum). From these figures, the majority of  
 14 the difference values used for discriminating the players of different levels and ages  
 15 were greater than the maximum of  $MDC_{50}$ , but less than the maximum of  $MDC_{95}$ .  
 16 However, most of the change values caused by various external interventions were  
 17 lower than the maximum of  $MDC_{50}$  and the minimum of  $MDC_{95}$ . Finally, a summary  
 18 checklist of the measurement quality for the LSPT was displayed in Table 7. As seen  
 19 in the table, the LSPT is relatively easy to perform and administer (e.g. short duration,  
 20 two examiners, simple process, and low-cost resources).



## 1 **Discussion**

2 This is the first review comprehensively investigating the LSPT and contributing to  
3 our understanding of its measurement properties and feasibility systematically. On the  
4 whole, the LSPT has a certain degree of practical application with ease of undertaken  
5 and administered, acceptable retest reliability, and relatively good discriminative  
6 validity for the evaluation of participants of different playing levels and ages.  
7 Conversely, the ability of LSPT to relate with similar measures or an accepted  
8 external practical standard is unclear and even questionable due to current insufficient  
9 evidence. Notably, current research is not yet available on some important properties  
10 such as inter-rater reliability, internal consistency, SWC and MDC. Therefore, this  
11 systematic review, with an overall perspective of available evidence, will serve as a  
12 valuable reference for future applications and scientific research of the LSPT.

## 13 ***Study Methodological Quality***

14 The major limitation with the included studies was the small sample size, and very  
15 few studies provided evidence of having performed a sample size calculation. An  
16 appropriate sample size would contribute to define the relatively precise estimates of  
17 reliability or validity that will increase the statistical power to detect small but  
18 important change or difference (Copen, et al., 2007). Authors should confirm whether  
19 the sample sizes were adequate to achieve the purposes at the beginning of their future  
20 work. Moreover, the lack of clear participant details and eligibility criteria in many

1 studies should be noted. Authors should be suggested to provide sufficient  
2 information to allow the reader to generalize the study to a specific population.  
3 Notably, a final consideration focuses on the amount of time was varied between the  
4 assessments in the studies. Although it is difficult to provide an objective standard for  
5 an exact interval duration, authors are recommended to avoid using excessively long  
6 or short intervals, as this would reduce the impact of fatigue or skill improvement  
7 (Hopkins, 2000).

#### 8 ***Reliability***

9 By assessing the evidence included, we found two apparent flaws in reliability. First,  
10 we found no evidence for inter-rater reliability. The investigator of the LSPT was  
11 responsible for deciding the accuracy of the pass and performance. Despite the strict  
12 guidelines, different investigators might award different scores to the same participant  
13 (A. Ali, 2011). Thus, further studies are essential for addressing this issue. Second, as  
14 the LSPT total performance time (TT) consists of two components: movement time  
15 (MT) and penalty time (PT), the internal consistency of the test should be checked;  
16 however, any evidence does not exist. According to our statistical estimate, the  
17 adjusted Cronbach's alpha was 0.67, this was a potential concern as values lower than  
18 0.7 indicate that the internal consistency reliability was questionable (Kline, 2000).  
19 Thus, whether the two components (MT and PT) measure a single unidimensional  
20 latent construct is still unclear. Therefore, the rationality of scoring method of the

1 LSPT (e.g. the outcome measure is expressed in time rather than distance, the passing  
2 inaccuracy is translated as time penalty rather than scale score, and the assumption of  
3 equal distance on the scale between MT and PT) might necessitate re-examination.  
4 For instance, While the test-retest reliability of the LSPT TT was acceptable, the  
5 LSPT PT was largely variable ( $r = 0.22-0.86$ ,  $ICC = 0.26-0.89$ ) in assessing the  
6 passing accuracy, which indicated that the penalty component of the test could be  
7 improved further.

8 In addition to the internal structure of the test, the participants' characteristics  
9 such as playing level, age, and sex also affected the measurement error which is an  
10 alternative representation of reliability. As shown in Table 4, the reduction in the  
11 measurement errors was accompanied by a higher playing level, older age and male  
12 sex. This trend might be related to the penalty rule of the test; a penalty time of 1 s  
13 was awarded 1 s every second taken over the allocated 43 s to complete the test.  
14 Hence, as suggested by previous studies (A. Ali, 2011; A. Ali, et al., 2007),  
15 researchers are recommended to use highly skilled adult male players when using the  
16 LSPT for detecting small but important change or difference in performance. A  
17 modified version of the LSPT with adjustable penalty threshold would be optimal for  
18 use with a specific population.

## 19 ***Validity***

20 Results from the included studies demonstrated the ability of LSPT to discriminate

1 players of different competitive levels, whether male or female, adult or adolescent.  
2 Moreover, the discrimination of players by age and sex can also be clearly identified  
3 from Figure 2, wherein a total of 35 groups from 25 studies were sorted in an  
4 ascending order. The first half of the bar graph (18 groups, LSPT TT from 40.2 s to  
5 56.4 s) demonstrated that all participants were males and only two groups with  
6 participants from high-level state representative team were aged less than 18 years;  
7 whereas, in the second half of the bar graph (17 groups, LSPT TT from 58.1 s to 97.5  
8 s), only four groups were aged more than 18 years, and the participants were females  
9 in three of these four groups.

10         Only two studies focused on the relationship between the LSPT and other  
11 external measures or standard. The findings indicated that the LSPT scores were  
12 strongly correlated with motor speed, agility and leg power (Benounis, et al., 2013);  
13 however, it was correlated poorly with the in-game passing performance (Serpiello, et  
14 al., 2017). This may be relevant to the ability of the LSPT to assess not only the  
15 passing technique, but also the multiple soccer skills including passing, dribbling,  
16 control, and decision making. Owing to inadequate reporting and inherent limitation  
17 of the study design such as defined populations, fewer samples, multi-factor  
18 influences on in-game performance, and uncertain reliability and validity of the  
19 designed analytical method itself, the available evidence is relatively limited for  
20 drawing definite conclusions, further investigations are essential.

## 1 *Responsiveness and Feasibility*

2 Previous studies (H. M. Ali, et al., 2016; Foskett, et al., 2009; Impellizzeri, et al.,  
3 2008; Zago, et al., 2016; Zois, et al., 2013) have demonstrated that the LSPT  
4 performance of soccer players responds to some external interventions. The ability of  
5 a test to monitor the statistical significant change in an experimental study is  
6 influenced not only by the size of the sample being tested; but also by the  
7 measurement error of the test itself (Coplay, et al., 2007). In addition, only the amount  
8 of difference or change greater than the SWC or MDC threshold can be considered to  
9 be meaningful or worthwhile, which renders the test feasible for interpreting the inter-  
10 individual difference or intra-individual change in practice (Hopkins, 2004).

11 The range of the MDC threshold values were calculated based on the SEM of  
12 the test obtained from included studies. As demonstrated in Figures. 4 and 5 with  
13  $MDC_{50}$  for reference, the LSPT is practically feasible for examining the inter-  
14 individual differences between players of different playing levels and ages; however,  
15 its ability to detect intra-individual change of skill performance over a period under  
16 most of the external interventions is still unclear. However, at the 95% confidence  
17 level ( $MDC_{95}$ ), nearly all the differences and changes are considered to be unclear or  
18 even undetectable, although the LSPT is able to discriminate the players of different  
19 playing levels under specific conditions (e.g. adult male soccer). As an earlier article  
20 suggested (Hopkins, 2004),  $MDC_{95}$  may be too conservative and impractical for  
21 athlete testing; thus we used 50% as our confidence level of MDC. Nevertheless,

1 further improvements of testing reliability (e.g. re-checking the rationality of scoring  
2 method and improving the way of scoring in assessing the passing accuracy) and  
3 modified versions of the LSPT (e.g. increasing or decreasing the penalty threshold  
4 according to different populations) are strongly recommended.

## 5 ***Limitations***

6 One limitation of our review was that some important properties such as inter-rater  
7 reliability, internal consistency, SWC and MDC were not reported in the literature;  
8 thus, we were only able to make estimates based on the available data. A second  
9 limitation was that the use of LSPT as a valid test of in-game passing performance  
10 was still questioned due to inadequate evidence on the criterion validity. In addition,  
11 the applicability of the test to general population was unclear, as female adolescent  
12 samples were absent. Furthermore, we retrieved papers written in only English, and  
13 did not contact authors to seek missing or unpublished data.

## 14 **Conclusion**

15 This systematic review indicated that the LSPT has acceptable test-retest reliability  
16 and discriminative validity to assess the multi-faceted aspects of soccer skill, although  
17 these properties are influenced by factors such as playing level, age and sex. Future  
18 studies should concentrate on establishing the inter-rater reliability, internal  
19 consistency and criterion validity of the test. Despite the responsiveness to an external  
20 intervention in some experimental studies, the LSPT may not be effective in

- 1 interpreting the intra-individual changes of skill performance in practice due to the
- 2 large measurement error (SEM of TT: range from 1.9 to 11.3 s). Further work should
- 3 be carried out to improve the testing reliability and to add more modified versions for
- 4 the LSPT.
- 5

1 Disclosure statement

2 No potential conflict of interest was reported by the authors.

3 Funding

4 Financial support for conducting this study was provided by Key Laboratory of Physical

5 Motor Function Assessment, General Administration of Sport of China [ZGD1607235]. The

6 authors' work was independent of the funders.

7



## 1 References

- 2 Ali, A. (2011). Measuring soccer skill performance: a review. *Scand J Med Sci Sports*,  
3 21(2), pp. 170-183. doi:10.1111/j.1600-0838.2010.01256.x Retrieved from  
4 <https://www.ncbi.nlm.nih.gov/pubmed/21210855>
- 5 Ali, A., Foskett, A., & Gant, N. (2008). Validation of a soccer skill test for use with  
6 females. *Int J Sports Med*, 29(11), pp. 917-921. doi:10.1055/s-2008-1038622  
7 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/18512177>
- 8 Ali, A., Gardiner, R., Foskett, A., & Gant, N. (2011). Fluid balance, thermoregulation  
9 and sprint and passing skill performance in female soccer players. *Scand J Med*  
10 *Sci Sports*, 21(3), pp. 437-445. doi:10.1111/j.1600-0838.2009.01055.x  
11 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/20136761>
- 12 Ali, A., & Williams, C. (2009). Carbohydrate ingestion and soccer skill performance  
13 during prolonged intermittent exercise. *J Sports Sci*, 27(14), pp. 1499-1508.  
14 doi:10.1080/02640410903334772 Retrieved from  
15 <https://www.ncbi.nlm.nih.gov/pubmed/19967596>
- 16 Ali, A., Williams, C., Hulse, M., Strudwick, A., Reddin, J., Howarth, L., . . . McGregor,  
17 S. (2007). Reliability and validity of two tests of soccer skill. *J Sports Sci*,  
18 25(13), pp. 1461-1470. doi:10.1080/02640410601150470 Retrieved from  
19 <https://www.ncbi.nlm.nih.gov/pubmed/17852682>
- 20 Ali, H. M., Chameseddine, G., Sehli, H., Abdelawi, S., Maher, G., & Makrem, Z.  
21 (2016). Verbalization and Visualisation Effect on Football Technical Learning  
22 Using Loughborough Soccer Passing Test (LSPT). *Creative Education*, 07, pp.  
23 2524-2531. doi:10.4236/ce.2016.716239
- 24 Andrade-Souza, V. A., Bertuzzi, R., de Araujo, G. G., Bishop, D., & Lima-Silva, A. E.  
25 (2015). Effects of isolated or combined carbohydrate and caffeine  
26 supplementation between 2 daily training sessions on soccer performance. *Appl*  
27 *Physiol Nutr Metab*, 40(5), pp. 457-463. doi:10.1139/apnm-2014-0268  
28 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/25884315>
- 29 Baumgartner, T., & Jackson, A. (1998). *Measurement for Evaluation in Physical*  
30 *Education and Exercise Science* (5th ed.) Michigan: Brown & Benchmark.
- 31 Beaton, D. E. (2000). Understanding the relevance of measured change through studies  
32 of responsiveness. *Spine (Phila Pa 1976)*, 25(24), pp. 3192-3199.  
33 doi:10.1097/00007632-200012150-00015 Retrieved from  
34 <https://www.ncbi.nlm.nih.gov/pubmed/11124736>
- 35 Benounis, O., Benabderrahman, A., Chamari, K., Ajmol, A., Benbrahim, M.,  
36 Hammouda, A., . . . Zouhal, H. (2013). Association of short-passing ability with  
37 athletic performances in youth soccer players. *Asian J Sports Med*, 4(1), pp. 41-  
38 48. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/23785575>
- 39 Carling, C., Bloomfield, J., Nelsen, L., & Reilly, T. (2008). The role of motion analysis  
40 in elite soccer: contemporary performance measurement techniques and work  
41 rate data. *Sports Med*, 38(10), pp. 839-862. doi:10.1080/026404102320675675  
42 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/18803436>

- 1 Copay, A. G., Subach, B. R., Glassman, S. D., Polly, D. W., Jr., & Schuler, T. C. (2007).  
2 Understanding the minimum clinically important difference: a review of  
3 concepts and methods. *Spine J*, 7(5), pp. 541-546.  
4 doi:10.1016/j.spinee.2007.01.008 Retrieved from  
5 <https://www.ncbi.nlm.nih.gov/pubmed/17448732>
- 6 Currell, K., & Jeukendrup, A. E. (2008). Validity, reliability and sensitivity of measures  
7 of sporting performance. *Sports Med*, 38(4), pp. 297-316. Retrieved from  
8 <https://www.ncbi.nlm.nih.gov/pubmed/18348590>
- 9 Draganidis, D., Chatzinikolaou, A., Jamurtas, A. Z., Carlos Barbero, J., Tsoukas, D.,  
10 Theodorou, A. S., . . . Fatouros, I. (2013). The time-frame of acute resistance  
11 exercise effects on football skill performance: the impact of exercise intensity.  
12 *J Sports Sci*, 31(7), pp. 714-722. doi:10.1080/02640414.2012.746725 Retrieved  
13 from <https://www.ncbi.nlm.nih.gov/pubmed/23301779>
- 14 Eisinga, R., Grotenhuis, M., & Pelzer, B. (2013). The reliability of a two-item scale:  
15 Pearson, Cronbach, or Spearman-Brown? *Int J Public Health*, 58(4), pp. 637-  
16 642. doi:10.1007/s00038-012-0416-3 Retrieved from  
17 <https://www.ncbi.nlm.nih.gov/pubmed/23089674>
- 18 Foskett, A., Ali, A., & Gant, N. (2009). Caffeine enhances cognitive function and skill  
19 performance during simulated soccer activity. *Int J Sport Nutr Exerc Metab*,  
20 19(4), pp. 410-423. doi:10.1123/ijsnem.19.4.410 Retrieved from  
21 <https://www.ncbi.nlm.nih.gov/pubmed/19827465>
- 22 Gant, N., Ali, A., & Foskett, A. (2010). The influence of caffeine and carbohydrate  
23 coingestion on simulated soccer performance. *Int J Sport Nutr Exerc Metab*,  
24 20(3), pp. 191-197. doi:10.1123/ijsnem.20.3.191 Retrieved from  
25 <https://www.ncbi.nlm.nih.gov/pubmed/20601736>
- 26 Haaland, E., & Hoff, J. (2003). Non-dominant leg training improves the bilateral motor  
27 performance of soccer players. *Scand J Med Sci Sports*, 13(3), pp. 179-184.  
28 doi:10.1034/j.1600-0838.2003.00296.x Retrieved from  
29 <https://www.ncbi.nlm.nih.gov/pubmed/12753491>
- 30 Helmerhorst, H. J., Brage, S., Warren, J., Besson, H., & Ekelund, U. (2012). A  
31 systematic review of reliability and objective criterion-related validity of  
32 physical activity questionnaires. *Int J Behav Nutr Phys Act*, 9, p 103.  
33 doi:10.1186/1479-5868-9-103 Retrieved from  
34 <https://www.ncbi.nlm.nih.gov/pubmed/22938557>
- 35 Hoare, D. G., & Warr, C. R. (2000). Talent identification and women's soccer: an  
36 Australian experience. *J Sports Sci*, 18(9), pp. 751-758.  
37 doi:10.1080/02640410050120122 Retrieved from  
38 <https://www.ncbi.nlm.nih.gov/pubmed/11043900>
- 39 Hopkins, W. G. (2000). Measures of reliability in sports medicine and science. *Sports*  
40 *Med*, 30(1), pp. 1-15. doi:10.2165/00007256-200030050-00006 Retrieved from  
41 <https://www.ncbi.nlm.nih.gov/pubmed/10907753>

- 1 Hopkins, W. G. (2004). How to Interpret Changes in an Athletic Performance Test.  
2 *Sportscience*, 8, pp. 1-7. Retrieved from [http://](http://www.sportsci.org/jour/04/wgtests/htm)  
3 [www.sportsci.org/jour/04/wgtests/htm](http://www.sportsci.org/jour/04/wgtests/htm)
- 4 Huijgen, B. C., Elferink-Gemser, M. T., Ali, A., & Visscher, C. (2013). Soccer skill  
5 development in talented players. *Int J Sports Med*, 34(8), pp. 720-726.  
6 doi:10.1055/s-0032-1323781 Retrieved from  
7 <https://www.ncbi.nlm.nih.gov/pubmed/23459855>
- 8 Impellizzeri, F. M., Rampinini, E., Maffiuletti, N. A., Castagna, C., Bizzini, M., &  
9 Wisloff, U. (2008). Effects of aerobic training on the exercise-induced decline  
10 in short-passing ability in junior soccer players. *Appl Physiol Nutr Metab*, 33(6),  
11 pp. 1192-1198. doi:10.1139/H08-111 Retrieved from  
12 <https://www.ncbi.nlm.nih.gov/pubmed/19088777>
- 13 Jacobson, M. A. (2011). The effects of sports drinks containing caffeine and  
14 carbohydrate on soccer-specific skill performance during match-induced  
15 fatigue. *Caffeine* Retrieved from <http://hdl.handle.net/1828/3252>
- 16 Kline, P. (2000). *The handbook of psychological testing* (2nd ed.) London: Routledge.
- 17 Le Moal, E., Rue, O., Ajmol, A., Abderrahman, A. B., Hammami, M. A., Ounis, O. B.,  
18 . . . Zouhal, H. (2014). Validation of the Loughborough Soccer Passing Test in  
19 young soccer players. *J Strength Cond Res*, 28(5), pp. 1418-1426.  
20 doi:10.1519/JSC.0000000000000296 Retrieved from  
21 <https://www.ncbi.nlm.nih.gov/pubmed/24149764>
- 22 Lyons, M., Al-Nakeeb, Y., & Nevill, A. (2006). Performance of soccer passing skills  
23 under moderate and high-intensity localized muscle fatigue. *J Strength Cond*  
24 *Res*, 20(1), pp. 197-202. doi:10.1519/R-17114.1 Retrieved from  
25 <https://www.ncbi.nlm.nih.gov/pubmed/16503681>
- 26 McDermott, G., Burnett, A. F., Robertson, S. J., Chia, M., & Jenkins, D. (2015).  
27 Reliability and Validity of the Loughborough Soccer Passing Test in Adolescent  
28 Males: Implications for Talent Identification. *International Journal of Sports*  
29 *Science and Coaching*, 10(2-3), pp. 515-527. doi:10.1260/1747-9541.10.2-  
30 3.515
- 31 Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., & Group, P. (2009). Preferred  
32 reporting items for systematic reviews and meta-analyses: the PRISMA  
33 statement. *BMJ*, 339, p b2535. doi:10.1136/bmj.b2535 Retrieved from  
34 <https://www.ncbi.nlm.nih.gov/pubmed/19622551>
- 35 Mokkink, L. B., Terwee, C. B., Patrick, D. L., Alonso, J., Stratford, P. W., Knol, D. L.,  
36 . . . de Vet, H. C. (2010). The COSMIN checklist for assessing the  
37 methodological quality of studies on measurement properties of health status  
38 measurement instruments: an international Delphi study. *Qual Life Res*, 19(4),  
39 pp. 539-549. doi:10.1007/s11136-010-9606-8 Retrieved from  
40 <https://www.ncbi.nlm.nih.gov/pubmed/20169472>
- 41 Naser, N., & Ali, A. (2016). A descriptive-comparative study of performance  
42 characteristics in futsal players of different levels. *J Sports Sci*, 34(18), pp.

- 1 1707-1715. doi:10.1080/02640414.2015.1134806 Retrieved from
- 2 <https://www.ncbi.nlm.nih.gov/pubmed/26800448>
- 3 O'Regan, S., Ali, A., & Wilson, F. (2007) *Impact of playing level on skill performance*
- 4 *in early pubescent Irish soccer players*. Paper presented at the Science and
- 5 Football.
- 6 Owen, J. A., Kehoe, S. J., & Oliver, S. J. (2013). Influence of fluid intake on soccer
- 7 performance in a temperate environment. *J Sports Sci*, 31(1), pp. 1-10.
- 8 doi:10.1080/02640414.2012.720701 Retrieved from
- 9 <https://www.ncbi.nlm.nih.gov/pubmed/22950541>
- 10 Portney, L. G., & Watkins, M. P. (2009). *Foundations of Clinical Research:*
- 11 *Applications to Practice* (3rd ed.) New Jersey: Prentice Hall.
- 12 Rampinini, E., Impellizzeri, F. M., Castagna, C., Azzalin, A., Ferrari Bravo, D., &
- 13 Wisloff, U. (2008). Effect of match-related fatigue on short-passing ability in
- 14 young soccer players. *Med Sci Sports Exerc*, 40(5), pp. 934-942.
- 15 doi:10.1249/MSS.0b013e3181666eb8 Retrieved from
- 16 <https://www.ncbi.nlm.nih.gov/pubmed/18408603>
- 17 Reilly, T., & Holmes, M. (1983). A preliminary analysis of selected soccer skills.
- 18 *Physical Education Review*
- 19 Robertson, S. J., Burnett, A. F., & Cochrane, J. (2014). Tests examining skill outcomes
- 20 in sport: a systematic review of measurement properties and feasibility. *Sports*
- 21 *Med*, 44(4), pp. 501-518. doi:10.1007/s40279-013-0131-0 Retrieved from
- 22 <https://www.ncbi.nlm.nih.gov/pubmed/24293244>
- 23 Robertson, S. J., Kremer, P., Aisbett, B., Tran, J., & Cerin, E. (2017). Consensus on
- 24 measurement properties and feasibility of performance tests for the exercise and
- 25 sport sciences: a Delphi study. *Sports Med Open*, 3(1), p 2. doi:10.1186/s40798-
- 26 016-0071-y Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/28054257>
- 27 Rosch, D., Hodgson, R., Peterson, T. L., Graf-Baumann, T., Junge, A., Chomiak, J., &
- 28 Dvorak, J. (2000). Assessment and evaluation of football performance. *Am J*
- 29 *Sports Med*, 28(5 Suppl), pp. S29-39. doi:10.1177/28.suppl Retrieved from
- 30 <https://www.ncbi.nlm.nih.gov/pubmed/11032105>
- 31 Rostgaard, T., Iaia, F. M., Simonsen, D. S., & Bangsbo, J. (2008). A test to evaluate the
- 32 physical impact on technical performance in soccer. *J Strength Cond Res*, 22(1),
- 33 pp. 283-292. doi:10.1519/JSC.0b013e31815f302a Retrieved from
- 34 <https://www.ncbi.nlm.nih.gov/pubmed/18296988>
- 35 Russell, M., Benton, D., & Kingsley, M. (2010). Reliability and construct validity of
- 36 soccer skills tests that measure passing, shooting, and dribbling. *Journal of*
- 37 *Sports Sciences*, 28(13), p 1399. doi:10.1080/02640414.2010.511247 Retrieved
- 38 from <http://www.ncbi.nlm.nih.gov/pubmed/20967673>
- 39 Russell, M., & Kingsley, M. (2011). Influence of exercise on skill proficiency in soccer.
- 40 *Sports Med*, 41(7), pp. 523-539. doi:10.2165/11589130-000000000-00000
- 41 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/21688867>

- 1 Russell, M., Rees, G., Benton, D., & Kingsley, M. (2011). An exercise protocol that  
2 replicates soccer match-play. *Int J Sports Med*, 32(7), pp. 511-518.  
3 doi:10.1055/s-0031-1273742 Retrieved from  
4 <https://www.ncbi.nlm.nih.gov/pubmed/21472627>
- 5 Serpiello, F. R., Cox, A., Oppici, L., Hopkins, W. G., & Varley, M. C. (2017). The  
6 Loughborough Soccer Passing Test has impractical criterion validity in elite  
7 youth football The Loughborough Soccer Passing Test has impractical criterion  
8 validity in elite youth football. *Science and Medicine in Football*, 1:1, pp. 60-  
9 64. doi:10.1080/02640414.2016.1254810 Retrieved from  
10 <http://vuir.vu.edu.au/id/eprint/33505>
- 11 Sinclair, W., & Artis, J. (2013). Passing ability of adolescent soccer players during 4-  
12 day tournament play *Science and Football VII: The Proceedings of the Seventh*  
13 *World Congress on Science and Football* (pp. 273-278).
- 14 Smith, M. R., Coutts, A. J., Merlini, M., Deprez, D., Lenoir, M., & Marcora, S. M.  
15 (2016). Mental Fatigue Impairs Soccer-Specific Physical and Technical  
16 Performance. *Med Sci Sports Exerc*, 48(2), pp. 267-276.  
17 doi:10.1249/MSS.0000000000000762 Retrieved from  
18 <https://www.ncbi.nlm.nih.gov/pubmed/26312616>
- 19 Stolen, T., Chamari, K., Castagna, C., & Wisloff, U. (2005). Physiology of soccer: an  
20 update. *Sports Med*, 35(6), pp. 501-536. doi:10.2165/00007256-200535060-  
21 00004 Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/15974635>
- 22 Streiner, D. L., Norman, G. R., & Cairney, J. (2014). *Health Measurement Scales: A*  
23 *practical guide to their development and use* Oxford: Oxford University Press.
- 24 Zago, M., Giuriola, M., & Sforza, C. (2016). Effects of a combined technique and  
25 agility program on youth soccer players' skills. *International journal of Sports*  
26 *Science & Coaching*, 11(5), pp. 710-720. doi:10.1177/1747954116667109
- 27 Zois, J., Bishop, D., Fairweather, I., Ball, K., & Aughey, R. J. (2013). High-intensity  
28 re-warm-ups enhance soccer performance. *Int J Sports Med*, 34(9), pp. 800-805.  
29 doi:10.1055/s-0032-1331197 Retrieved from  
30 <https://www.ncbi.nlm.nih.gov/pubmed/23444096>

33 **Table 1** Characteristics of included studies

Study	Sample size, <i>n</i>	Participants	Mean age (SD), years	Gender	Baseline mean MT / PT / TT (SD), s	Measurement properties outcomes
A. Ali, et al. (2007)	48	University Association Football Club players Elite ( <i>n</i> = 24); Non-elite ( <i>n</i> = 24)	Elite: 20.5 (2.0); Non-elite: 19.9 (0.8)	Male	Elite: 40.2 (2.5) / 3.3 (3.2) / 43.6 (3.8); Non-elite: 42.2 (3.7) / 10.3 (4.8) / 52.5 (7.4); ALL: 41.2 (3.2) / 6.8 (5.4) / 48.0 (7.3)	Reliability (test-retest); Validity (construct and criterion)
A. Ali, et al. (2008)	35	Local club players Elite ( <i>n</i> = 19); Non-elite ( <i>n</i> = 16)	Elite: 20.9 (4.9); Non-elite: 23.3 (8.3)	Female	Elite: 54.6 (5.3) / 22.8 (7.2) / 77.4 (11.6); Non-elite: 61.6 (6.5) / 35.9 (11.5) / 97.5 (17.2); ALL: 57.6 (6.6) / 29.9 (10.5) / 87.5 (15.8)	Reliability (test-retest); Validity (construct and criterion)
Andrade-Souza, et al. (2015)	11	University soccer players	25.4 (2.3)	Male	NR / NR / 48.5 (14.9)	Reliability (test-retest); Responsiveness (fluid ingestion)
Benounis, et al. (2013)	42	Tunisian Championship Division 1 soccer players	14.8 (0.4)	Male	45.8 (3.9) / 16.8 (6.9) / 62.6 (9.1)	Reliability (test-retest); Validity (construct);
Huijgen, et al. (2013)	319	Netherlands professional soccer club development programs U12-U19 Selected ( <i>n</i> = 269); De-selected ( <i>n</i> = 50)	10-18	NR	Selected: 39.6-47.1 / 0.6-10.3 / 40.2-57.4; De-selected: 43.4-48.0 / 3.4-5.9 / 49.3-61.4 <sup>a</sup>	Validity (criterion)
Le Moal, et al. (2014)	87	French soccer players Elite ( <i>n</i> = 44); Sub-elite ( <i>n</i> = 22); Non-elite ( <i>n</i> = 21)	Elite: 15.1 (0.5); Sub-elite: 15.3 (0.5); Non-elite: 15.1 (0.5)	Male	Elite: 35.9 (4.7) / 4.3 (5.8) / 40.3 (8.3); Sub-elite: 42.2 (3.3) / 15.9 (9.0) / 58.1 (10.2); Non-elite: 46.0 (5.8) / 20.6 (8.6) / 66.6 (11.7)	Reliability (test-retest); Validity (construct)

McDermott, et al. (2015)	77	Local club or school U13-Competitive ( $n = 26$ ); U13-Recreational ( $n = 26$ ); U19-Competitive ( $n = 25$ )	U13-Competitive: 11.49 (0.6); U13-Recreational: 11.16 (0.9); U19-Competitive: 20.2 (1.5)	Male	U13-Competitive: 50.7 (8.5) / 8.8 (6.2) / 60.3 (12.7); U13-Recreational: 62.7 (4.0) / 12.4 (7.8) / 75.9 (14.0); U19-Competitive: 44.2 (9.9) / 5.6 (5.5) / 50.4 (7.5) <sup>a</sup>	Reliability (test-retest); Validity (construct)
Naser and Ali (2016)	24	NZ Futsal league players Elite ( $n = 8$ ); Sub-elite ( $n = 8$ ); Non-elite ( $n = 8$ )	Elite: 24.2(2.7); Sub-elite: 22.8(3.6); Non-elite: 26.2(3.1)	Male	Elite: 43.6 (3.1) / 3.1 (2.3) / 46.6 (5.3); Sub-elite: 47.5 (3.3) / 6.1 (3.3) / 53.6 (5.9); Non-elite: 49.7 (4.3) / 6.7 (2.6) / 56.4 (4.8)	Validity (construct)
O'Regan, et al. (2007)	17	Early pubescent soccer players Sub-elite ( $n = 8$ ); Novice ( $n = 9$ )	11-12	NR	Sub-elite: 61.4 / 6.8 / 68.2; Non-elite: 65.2 / 16.2 / 81.4	Validity (construct)
Serpiello, et al. (2017)	22	Australian U18 national team soccer players	15.1 (0.6)	Male	43.5 (2.9) / 3.1 / 46.6 (6.0)	Validity (criterion)
H. M. Ali, et al. (2016)	90	Basic 9th school students	15.5 (0.5)	Male	56.2 (3.7) / 16.3 (4.8) / 72.5 (7.4)	Responsiveness (learning)
Zago, et al. (2016)	26	Regional U12 sub-elite soccer players	11.5 (0.27)	Male	51.4 (3.91) / 17.2 (8.0) / 68.7 (11.0)	Responsiveness (training)
Zois, et al. (2013)	8	Federation Division 1 soccer players	23.6 (4.1)	Male	NR / NR / 55.3 (5.9) <sup>a</sup>	Responsiveness (warm-up)
A. Ali and Williams (2009)	17	University team soccer players	20.9 (2.5)	Male	37.4 (2.0) / 4.3 (4.1) / 41.6 (4.6) <sup>a</sup>	Responsiveness (fluid ingestion)
A. Ali, et al. (2011)	10	Local Premier Division or higher soccer players	25.5 (5.2)	Female	52.5 (4.3) / 27.6 (9.1) / 80.0 (11.5)	Responsiveness (fluid ingestion)

Foskett, et al. (2009)	12	Regional Premier Division soccer players	23.8 (4.5)	Male	42.4 (3.7) / 9.2 (4.2) / 51.6 (6.6)	Responsiveness (fluid ingestion)
Gant, et al. (2010)	14	Regional Premier Division soccer players	21.3 (3.0)	Male	40.2 (3.4) / 12.9 (9.6) / 53.1 (7.9)	Responsiveness (fluid ingestion)
Owen, et al. (2013)	13	Semi-professional standard team soccer players	22.2 (3.1)	Male	45.2 (2.5) / 3.2 (2.3) / 48.5 (4.1)	Responsiveness (fluid ingestion)
Draganidis, et al. (2013)	10	Local U21 Division 1 soccer players	20 (0.7)	Male	NR / NR / 53.3 (4.7)	Responsiveness (fatigue)
Impellizzeri, et al. (2008)	26	Junior soccer team players	17.8 (0.6)	NR	Pre-fatigue: 44.7 (5.8) / 16.1 (3.1) / 60.7 (4.1); Pre-training: 46.2 (6.4) / 15.4 (4.8) / 61.9 (4.2) <sup>a</sup>	Responsiveness (fatigue and training)
Lyons, et al. (2006)	20	College students	22.9 (5.3)	Male	41.1 (10.8) / 13.5 (6.1) / 54.6	Responsiveness (fatigue)
Rampinini, et al. (2008)	16	Professional soccer team junior players	17.6 (0.5)	NR	48.6 (3.0) / 17.1 (7.5) / 65.6 (9.5)	Responsiveness (fatigue)
Smith, et al. (2016)	14	Belgian league Division 2-7 soccer players	19.6 (3.5)	Male	47.9 (4.1) / 5.2 (7.6) / 53.1 (10.5)	Responsiveness (fatigue)
Sinclair and Artis (2013)	12	Regional academy team soccer players	13.7 (0.5)	Male	49.5 (0.7) / 13.7 (1.5) / 63.2 (2.0)	Responsiveness (fatigue)
Jacobson (2011)	12	University soccer team players	19.4 (1.8)	Male	51.3 (4.6) / 16.8 (8.6) / 68.1 (12.2)	Responsiveness (fatigue)

<sup>a</sup> = data derived from figure; SD = standard deviation; NR = not report; MT = movement time (s); PT = penalty time (s); TT = total performance time (s).





36 **Table 2** Methodological quality of the reviewed studies

Study	Details of participants	Inclusion / exclusion criteria	Sample size	Familiarization session	Stability of conditions	Time between assessments
A. Ali, et al. (2007)	Yes	Partial	++	Yes	Yes	YES (1 day)
A. Ali, et al. (2008)	Yes	Partial	++	Yes	Yes	YES (7 days)
Andrade-Souza, et al. (2015)	Yes	Partial	+	Yes	Yes	YES (7 days)
Benounis, et al. (2013)	Yes	Partial	++	Yes	Yes	NR
Huijgen, et al. (2013)	Partial	Yes	++++	Yes	Yes	NA
Le Moal, et al. (2014)	Yes	Partial	+++	Yes	Yes	YES (10 min and 7 days)
McDermott, et al. (2015)	Yes	Partial	+++	Yes	Partial	YES(Immediately and 7 day)
Naser and Ali (2016)	Yes	Partial	+	Yes	Yes	YES (2 days)
O'Regan, et al. (2007)	Partial	NR	+	NR	NR	NA
Serpiello, et al. (2017)	Partial	Yes	+	Yes	NR	NA
H. M. Ali, et al. (2016)	Yes	Partial	+++	Yes	Yes	NA
Zago, et al. (2016)	Yes	Yes	+	Yes	Yes	YES (22 weeks)
Zois, et al. (2013)	Yes	Partial	+	Yes	Yes	YES (15 min)
A. Ali and Williams (2009)	Yes	Partial	+	Yes	Yes	YES (7 days)
A. Ali, et al. (2011)	Yes	Partial	+	Yes	Yes	YES (7 days)
Foskett, et al. (2009)	Yes	Yes	+	Yes	Yes	YES (7 days)
Gant, et al. (2010)	Yes	Partial	+	Yes	Yes	YES (7 days)
Owen, et al. (2013)	Yes	Partial	+	Yes	Yes	YES (7 days)
Draganidis, et al. (2013)	Yes	Partial	+	Yes	Yes	YES (40-45 min)
Impellizzeri, et al. (2008)	Partial	Yes	+	Yes	Partial	YES (5 min)
Lyons, et al. (2006)	Yes	Partial	+	Yes	Yes	YES (1 min)
Rampinini, et al. (2008)	Yes	NR	+	Yes	Yes	YES (90 min and 5min)

Smith, et al. (2016)	Yes	Partial	+	Yes	Yes	YES (30 min)
Sinclair and Artis (2013)	Yes	Partial	+	Yes	Yes	YES (4 days)
Jacobson (2011)	Yes	Yes	+	Yes	Yes	YES (90 min and 5min)

+ = less than 30 participants; ++ = between 30 and 49 participants; +++ = between 50 and 99 participants; ++++ = more than 100 participants; NA = not applicable to this particular investigation; NR = not reported.

37

38

39 **Table 3** Reliability and validity of the LSPT

Study	Reliability (MT / PT / TT)	Validity (MT / PT / TT)			
	Test-retest	Construct		Criterion	
		Discriminative	Convergent	Concurrent	Predictive
A. Ali, et al. (2007)	Elite ( $r = 0.75 / 0.37 / 0.43$ ; ICC = $0.75 / 0.37 / 0.42$ ; CV% = $4.7 / NA / 11.2$ ; %95LoA = $-5.1$ to $2.3 / -9.8$ to $7.4 / -12.2$ to $7.0$ ) Non-elite ( $r = 0.70 / 0.38 / 0.51$ ; ICC = $0.65 / 0.38 /$ $0.51$ ; CV% = $8.0 / NA / 16.0$ ; %95LoA = $-9.0$ to $4.2 / -$ $16.0$ to $9.2 / -21.8$ to $11.2$ ) ALL ( $r = 0.73 / 0.58 / 0.64$ ; ICC = $0.70 / 0.58 / 0.64$ ; CV% = $6.7 / NA / 14.4$ ; %95LoA = $-7.2$ to $3.6 / -13.2$ to $8.6 / -17.4$ to $9.6$ )	Playing levels: $t$ -tests Elite vs. Non-elite (MD = $-2.0 / -7.0$ $/ -8.9$ , $P < 0.05$ )	NR	Expected rankings: Median- split analysis (the majority of players were in the expected group)	NR
A. Ali, et al. (2008)	Elite ( $r = 0.67 / 0.39 / 0.55$ ; CV% = $8.8 / NA /$ $17.1$ ; %95LoA = $-9.4$ to $9.2 / -23.2$ to $15.6 / -29.9$ to $22.1$ ) Non-elite ( $r = 0.80 / 0.54 / 0.66$ ; CV% = $7.0 / NA /$ $16.7$ ; %95LoA = $-7.6$ to $9.2 / -25.8$ to $25.2 / -31.5$ to $32.5$ ) ALL ( $r = 0.81 / 0.63 / 0.73$ ; CV% = $7.8 / NA /$ $17.0$ ; %95LoA = $-8.5$ to $9.1 / -24.6$ to $20.2 / -30.7$ to $26.9$ )	Playing levels: $t$ -tests Elite vs. Non-elite (MD = $-7.0 / -$ $13.1 / -20.1$ , $P < 0.01$ )	NR	Expected rankings: Median- split analysis (the majority of players were in the expected group)	NR
Andrade-Souza, et al. (2015)	ICC = NR / NR / $0.84$	NR	NR	NR	NR

Benounis, et al. (2013)	ICC = 0.92 / 0.89 / 0.93	NR	Alternate measures: Pearson correlation coefficient Sprints tests ( $r = 0.18-0.36 / 0.32-0.54 / 0.49-0.60$ ) Agility-15m ( $r = 0.39 / 0.71 / 0.75$ ) Ball-15m ( $r = 0.51 / 0.62 / 0.71$ ) Illinois agility test ( $r = 0.18 / 0.65 / 0.72$ )	NR	NR
Huijgen, et al. (2013)	NR	Ages: Multilevel models analysis ( $P < 0.01$ )	NR	Expected rankings: $t$ -tests Selected vs. De-selected (MD = NS / NR / 4.0-9.1, $P < 0.05$ )	NR
Le Moal, et al. (2014)	Elite ( $r = 0.73 / 0.86 / 0.96$ ; CV% = 1.2 / NA / 1.8; %95LoA = -10.0 to 9.8 / -10.2 to 9.4 / -8.7 to 7.7) Sub-elite ( $r = 0.77 / 0.22 / 0.35$ ; CV% = 1.7 / NA / 1.8; %95LoA = -6.2 to 4.6 / -22.2 to 22.8 / -24.4 to 23.4) Non-elite ( $r = 0.50 / 0.53 / 0.47$ ; CV% = 1.8 / NA / 3.9; %95LoA = -12.1 to 10.9 / -17.2 to 15.6 / -25.2 to 22.4)	Playing levels: ANOVA Elite vs. Sub-elite (MD = -6.3 / -11.6 / -17.8, $P < 0.01$ ) Elite vs. Non-elite (MD = -10.1 / -16.3 / -26.3, $P < 0.01$ ) Sub-elite vs. Non-elite (MD = -3.8 / -4.7 / -8.5, $P < 0.01$ )	NR	NR	NR
McDermott, et al. (2015)	U13-Competitive (ICC = 0.85 / 0.50 / 0.80; %95LoA = -7.5 to 8.0 / -9.5 to 8.4 / -13.5 to 13.0) U13-Recreational (ICC = 0.63 / 0.26 / 0.51; %95LoA = -13.2 to 11.4 / -9.7 to 22.9 / -11.0 to 23.2)	Playing levels: ANOVA U13-Competitive vs. U13-Recreational (MD = -12 / -3.6 / -15.6, $P < 0.05$ )	NR	NR	NR

		U19-Competitive (ICC = 0.91 / 0.69 / 0.92; %95LoA = -3.6 to 2.0 / -4.8 to 7.4 / -4.0 to 6.6)	Ages: ANOVA U13-Competitive vs. U19-Competitive (MD = -6.5 / NS / -9.9, $P < 0.05$ ) <sup>a</sup>			
Naser and Ali (2016)	NR		Playing levels: ANOVA Elite vs. Non-elite (MD = -3.9 / -3.0 / -7.0, $P < 0.01$ )	NR	NR	NR
O'Regan, et al. (2007)	NR		Playing levels: <i>t</i> -tests Sub-elite vs. Non-elite (MD = -3.8 / -9.4 / -13.2, $P < 0.05$ )	NR	NR	NR
Serpiello, et al. (2017)	NR		NR	NR	NR	Match passing performance: Adjusted validity coefficient ( $r = 0.39-0.46$ / NR / 0.30-0.47)

<sup>a</sup> = data derived from figure; MT = movement time (s); PT = penalty time (s); TT = total performance time (s); MD = mean difference (s); NR = not report; NS = not significant;  $r$  = correlation coefficients; ICC = intraclass correlation coefficient; CV = coefficient of variation; LoA = limits of agreement (s); ANOVA = analysis of variance.

41 **Table 4** SEM (s) of the LSPT in different group

	Male		Female	
	Elite	Non-elite	Elite	Non-elite
Adult	3.47	5.96	9.19	11.31
Adolescent	4.78	6.17		

42 SEM = standard error of measurement (s).

43

**Table 5** Responsiveness of the LSPT

Study	Responsiveness	Mean MT / PT / TT (SD), s		Mean difference in MT / PT / TT, s	Statistical analyses (MT / PT / TT)
		Pre-stage or control	Post-stage or intervention		
H. M. Ali, et al. (2016)	Learning strategy (visual and verbal)	56.2 (3.7) / 16.3 (4.8) / 72.5 (7.4)	Verbal: 55.3 (4.3) 13.2 (3.7) 62.8 (4.3); Visual and Verbal: 49.5 (4.7) / 9.4 (3.8) / 58.9 (5.4)	Verbal: -0.9 / -3.1 / -9.7; Visual and verbal: -6.7 / -6.9 / -13.6	ANOVA Verbal: (NS / 19% / 13% improved, $P < 0.05$ ); Visual and Verbal: (12% / 42% / 19% improved, $P < 0.01$ ); ANOVA (6.4% / NS / NS improved, $P < 0.05$ )
Zago, et al. (2016)	Training (combined technique and agility)	51.4 (3.91) / 17.2 (8.0) / 68.7 (11.0)	48.1 (4.0) / 16.2 (4.3) / 64.5 (6.8)	-3.3 / -1.0 / -4.2	ANOVA (6.4% / NS / NS improved, $P < 0.05$ )
Zois, et al. (2013)	Warm-up strategy (3-min small-sided game)	NR / NR / 55.3 (5.9) <sup>a</sup>	NR / NR / 51.7 (4.0) <sup>a</sup>	NA / NA / -3.6	Effect size statistics (NR / NR / 7% improved)
A. Ali and Williams (2009)	Fluid ingestion (Carbohydrate)	38.3 (4.2) / 5.9 (5.9) / 44.2 (7.8) <sup>a</sup>	37.6 (1.9) / 5.2 (6.0) / 42.8 (6.0) <sup>a</sup>	-0.7 / -0.7 / -1.4	ANOVA (NS / NS / NS improved, $P > 0.05$ )
A. Ali, et al. (2011)	Fluid ingestion (water)	51.5 (5.5) / 34.8 (9.3) / 86.3 (14.1)	50.5 (5.9) / 31.0 (11.1) / 81.5 (14.3)	-1.0 / -3.8 / -4.8	ANOVA (NS / NS / NS improved, $P > 0.05$ )
Andrade-Souza, et al. (2015)	Fluid ingestion (carbohydrate and / or caffeine)	NR / NR / 42.1 (2.8) <sup>a</sup>	Carbohydrate: NR / NR / 45.2 (4.1); Caffeine: NR / NR / 41.0 (3.9); Carbohydrate+Caffeine: NR / NR / 45.4 (3.1) <sup>a</sup>	Carbohydrate: NR / NR / 3.1; Caffeine: NR / NR / -1.1; Carbohydrate+Caffeine: NR / NR / 3.3	General linear model Carbohydrate and / or caffeine: (NS / NS / NS improved, $P > 0.05$ )
Foskett, et al. (2009)	Fluid ingestion (caffeine)	42.8 (3.4) / 12.1 (6.3) / 54.8 (6.9)	41.5 (3.4) / 9.5 (7.7) / 51.0 (7.4)	-1.3 / -2.6 / -3.8	ANOVA (NS / 20% / 4.3% improved, $P < 0.05$ )
Gant, et al. (2010)	Fluid ingestion (carbohydrate and caffeine)	40.8 (4.1) / 15.1 (9.9) / 55.9 (12.5)	39.6 (4.1) / 14.6 (9.9) / 54.2 (9.7)	-1.2 / -0.5 / -1.7	General linear model (NS / NS / NS improved, $P > 0.05$ )



Owen, et al. (2013)	Fluid ingestion (libitum or prescribed fluid)	47.9 (4.1) / 6.7 (2.1) / 54.6(4.2)	Libitum: 48.4 (2.3) / 6.8 (2.2) / 55.3 (3.2); Prescribed: 47.5 (2.7) / 5.8 (2.0) / 53.3 (3.8)	Libitum: 0.5 / 0.1 / 0.7; Prescribed: -0.4 / -0.9 / -1.3	General linear model (NS / NS / NS improved, $P > 0.05$ )
Draganidis, et al. (2013)	Fatigue (HIE: resistance)	NR / NR / 53.3 (4.7)	NR / NR / 56.1 (3.1) <sup>a</sup>	NA / NA / 2.8	ANOVA (NA / NA / 5% impaired, $P < 0.05$ )
Impellizzeri, et al. (2008)	Fatigue (HIE: running), Training (aerobic interval)	Pre-HIE: 44.7 (5.8) / 16.1 (3.1) / 60.7 (4.1); Pre-training: 46.2 (6.4) / 15.4 (4.8) / 61.9 (4.2) <sup>a</sup>	Post-HIE: 45.8 (5.8) / 20.3 (2.9) / 66.1 (4.7); Post-training: 43.9 (3.7) / 14.9 (3.9) / 59.0 (2.2) <sup>a</sup>	HIE: 1.1 / 4.2 / 5.4; Training: -0.8 / -1.2 / -1.7	ANOVA HIE: (3% / 26% / 9% impaired, $P < 0.05$ ); Training: (NS / NS / NS improved, $P > 0.05$ )
Lyons, et al. (2006)	Fatigue (HIE: split squats)	41.1 (10.8) / 13.5 (6.1) / 54.6	44.3 (10.7) / 17.0 (6.9) / 61.3	3.2 / 3.5 / 6.7	ANOVA (8% / 26% / 12% impaired, $P < 0.05$ )
Rampinini, et al. (2008)	Fatigue (HIE: running, Match)	Pre-HIE: 48.6 (3.0) / 17.1 (7.5) / 65.6 (9.5); Pre-match: 48.8 (3.3) / 16.9 (7.8) / 65.2 (9.7)	Post-HIE: 48.7 (3.7) / 20.4 (7.4) / 69.1 (9.8); Post-match: 50.9 (3.2) / 27.3 (6.3) / 78.1 (7.4)	HIE: 0.1 / 3.3 / 3.5; Match: 2.3 / 10.2 / 12.5	ANOVA HIE: (NS / 19% / NS impaired, $P < 0.05$ ); Match: (5% / 62% / 20% impaired, $P < 0.01$ )
Smith, et al. (2016)	Fatigue (Stroop mentally fatiguing task)	47.9 (4.1) / 5.2 (7.6) / 53.1 (10.5)	47.8 (4.9) / 9.9 (6.5) / 57.7 (8.5)	-0.1 / 4.7 / 4.6	$t$ -tests (NS / 90% / NS impaired, $P < 0.05$ )
Sinclair and Artis (2013)	Fatigue (match)	49.5 (0.7) / 13.7 (1.5) / 63.2 (2.0)	50.7 (0.9) / 25.0 (1.1) / 75.7 (1.7)	1.2 / 11.3 / 12.5	ANOVA (2% / 83% / 20% impaired, $P < 0.05$ )
Jacobson (2011)	Fatigue (match)	51.3 (4.6) / 16.8 (8.6) / 68.1 (12.2)	49.5 (4.2) / 10.0 (5.2) / 59.5 (8.3)	-1.8 / -6.8 / -8.6	ANOVA (NS / NS / NS impaired, $P > 0.05$ )

<sup>a</sup> = data derived from figure; MT = movement time (s); PT = penalty time (s); TT = total performance time (s); MD = mean difference (s); NR = not report; NS = not significant; ANOVA = analysis of variance; HIE = high-intensity exercise; LIST = Loughborough intermittent shuttle test.

45 **Table 6** Calculated SWC and MDC for the LSPT

	MT	PT	TT
SWC	0.5-2.0	0.6-2.3	0.8-3.8
MDC <sub>50</sub> (SEM)	1.0-4.4	2.9-9.0	1.9-11.3
MDC <sub>95</sub>	2.8-12.3	8.1-25.5	5.3-32.0

MT = movement time (s); PT = penalty time (s); TT = total  
 performance time (s); SWC = smallest worthwhile change (s);  
 MDC = minimum detectable change (s); SEM = standard error  
 of measurement.

46

47

48 **Table 7** Summary checklist of measurement quality for the LSPT total performance time

	Assessed?	Source	Results
<b>Level 1</b>			
Test-retest reliability	YES	A. Ali, et al. (2008); A. Ali, et al. (2007); Andrade-Souza, et al. (2015); Benounis, et al. (2013); Le Moal, et al. (2014); McDermott, et al. (2015)	Moderate to excellent ( $r = 0.43-0.99$ , $ICC = 0.42-0.93$ )
Intra-rater reliability	NO		NR
Inter-rater reliability	NO		NR
Content validity	YES	A. Ali, et al. (2007)	The test was developed to assess the multifaceted aspect of soccer skill including passing, dribbling, control and decision making
Discriminant validity	YES	A. Ali, et al. (2008); A. Ali, et al. (2007); Huijgen, et al. (2013); Le Moal, et al. (2014); McDermott, et al. (2015); Naser and Ali (2016); O'Regan, et al. (2007)	Sensitive to discriminate players of different playing levels and ages ( $P < 0.05$ )
Responsiveness / sensitivity to change	YES	A. Ali, et al. (2011); A. Ali and Williams (2009); H. M. Ali, et al. (2016); Draganidis, et al. (2013); Foskett, et al. (2009); Gant, et al. (2010); Impellizzeri, et al. (2008); Jacobson (2011); Lyons, et al. (2006); Owen, et al. (2013); Rampinini, et al. (2008); Sinclair and Artis (2013); Smith, et al. (2016); Zago, et al. (2016); Zois, et al. (2013)	Sensitive to some external interventions (learning: 13%-19% improved; training: NS; warm-up: 6.4% improved; fluid ingestion: NS to 4.3% improved; fatigue: NS to 20% impaired. $P < 0.05$ )
SWC / MDC	NO but estimate	Table 6	$MDC > SWC$ ( $SWC = 0.8-3.8$ , $MDC_{50} = 1.9-11.3$ , $MDC_{95} = 5.3-32.0$ )
Interpretability	NO but estimate	Figures 4 and 5	The LSPT total performance time is practical in discriminating players of different playing levels and ages than detecting the change in status after an external intervention.

Familiarity required	YES	A. Ali, et al. (2007); Le Moal, et al. (2014); McDermott, et al. (2015)	Trail order and familiarization effects were detected.
Duration	YES	A. Ali, et al. (2008); A. Ali, et al. (2007)	The mean duration was less than 1 min.
<b>Level 2</b>			
Stability	NO		NR
Internal consistency	NO but estimate	Figure 3	Questionable (Cronbach's $\alpha = 0.67$ )
Convergent validity	YES	Benounis, et al. (2013)	Positively correlated with some alternate measures (Sprint tests: $r = 0.49-0.60$ , Agility-15m: $r = 0.75$ , Ball-15m: $r = 0.71$ , Illinois agility test: $r = 0.72$ )
Concurrent validity	YES	A. Ali, et al. (2008); A. Ali, et al. (2007); Huijgen, et al. (2013)	Strong association between the LSPT scores and expected rankings.
Predictive validity	YES	Serpiello, et al. (2017)	Poor relationship with match passing performance ( $r = 0.30-0.47$ ).
Floor and ceiling effects	NO		NR
Scoring complexity	YES	A. Ali, et al. (2008); A. Ali, et al. (2007)	The first examiner is in charge of recording the movement time, the second examiner records the penalty time points accrued during the trials. These two variables make up the total performance time.
Completion complexity	YES	A. Ali, et al. (2008); A. Ali, et al. (2007)	The participants began with the ball by the central cone, and then completed eight long and eight short passes to the targets were called. The players were informed that they would have to perform the test as quickly as possible while making the fewest mistakes.
Cost	YES	A. Ali, et al. (2008); A. Ali, et al. (2007)	Four benches / boards were placed marking the 12×9.5m grid; four colored targets, one piece of aluminum, one ball, one hand-held stopwatch, and two examiners were needed.

---

MD = mean difference (s); SWC = smallest worthwhile change (s); MDC = minimum detectable change (s); NR = not report; NS = not significant;  $r$  = correlation coefficients; CV = coefficient of variation; ICC = intraclass correlation coefficient; LoA = limits of agreement (s).

**Figure 1** Flow diagram of the literature search

**Figure 2** Baseline LSPT mean total performance time ( $\pm$ standard deviations) from different team groups at various levels

**Figure 3** Correlation between MT and PT based on the baseline data derived from the included studies

**Figure 4** Relative position between raw difference or change in the LSPT TT and MDC threshold range

**Figure 5** Relative position between percent difference or change in the LSPT TT and MDC threshold range

Figure 1




Figure 2




Figure 3






Figure 4-5

